

COMPANY'S INTRODUCTION

- Professional gloves, medical products manufacturer and supplier.
- ISO Certified Company (ISO9001: 2000 Quality Management System).
- Established in 1987, with 18 years' experience in international trade, especially in gloves and medical products.
- Reformed from a state-run company to joint-stock company with a turnover of 120 million US dollar in the year of 2004.
- Most convenient traffic and transportation. Only 100km away from Shanghai. Sea, air & land transportation will carry the goods to any place in the world.
- Locates most developed and powerful economic zone in China Suzhou City, a city with 2500 years history, full of fantasy, passion and typical orient flavor.
- We offer you best services with our professional knowledge in China. And we warmly welcome friends from all over the world to visit us.



CONTENTS

- GLOVES 1
- MEDICAL DRESSING—BANDAGES.....8
- MEDICAL DRESSING—MEDICAL TAPES12
- MEDICAL DRESSING—SURGERY DRAPE15
- MEDICAL DRESSING—GAUZE16
- MEDICAL DRESSING—COTTON 17
- MEDICAL DRESSING—OTHERS18
- STERILIZATION MATERIAL 19



GLOVES

<http://www.medicareu.com>

Disp. Vinyl Gloves (PVC Gloves)



Features:

- Latex Free, Non-allergic, Comfortable fit, feel and stretch, Durabile
- Anti-acid&alkaline, Anti-oil, Anti-infiltration and Anti-bacteria
- Ambidextrous, Non-sterile/Sterile
- Quality exceeds ASTM and FDA standards
- Pinhole Rate: From AQL4.0(Industrial/Food Grade) to AQL2.5 (Examination Grade) to AQL 1.5 (Medical Grade)

Application Field:

Housework, Kitchen, Cleaning, Industry of Food, Electronic, Beauty, Medical, Chemical, Painting etc.

Specification:

Size	Weight (g/pc)	Length (mm)	Palm Width (mm)	Thickness(mm)(Single Layer)	
				Palm	Fingertip
XS	5.5±0.5	240±5	75±2	0.10±0.03	0.11±0.03
S	6.0±0.5	245±5	92±2	0.10±0.03	0.11±0.03
M	6.5±0.5	245±5	104±2	0.10±0.03	0.11±0.03
L	7.0±0.5	245±5	112±2	0.10±0.03	0.11±0.03
XL	7.5±0.5	250±5	115±2	0.10±0.03	0.11±0.03
XXL	8.0±0.5	250±5	120±2	0.10±0.03	0.11±0.03

- Type of Cuff: Rolled Cuff
- Powder: Lightly Powdered/Powderfree
- Color: Natural White, Blue, Green, Red, Yellow, Black
- Physical Property:

Elongation : ≥ 350%
Tensile Strength: ≥ 9MPa

Packing:

- 100pcs/printed dispenser box, 10box/export ctn
- 100pcs/printed dispenser box, 20box/export ctn
- 1pair/bag, 500bags/ctn (for cosmetic use)

Container Qty:

Packing	Meast.	Qty of 20'C	Qty of 40'C	Qty of 40'HQ
100pcs/box, 10box/ctn	32.5x25.5x27cm	1250000pcs	2500000pcs	2800000pcs
100pcs/box, 20box/ctn	52x25.5x33cm	1500000pcs	2800000pcs	3100000pcs
1pair/bag, 500bags/ctn	40x26.5x17cm	1250000pcs	2500000pcs	2800000pcs

Quality Certificate:

CE (EN455-1,-2,-3:2000); FDA; ISO

Disp. Synmax Gloves

Features:

- Better than Vinyl gloves in physical property, like elasticity, durability, conformity etc.
- Though Latex-alike, Non-allergic, Non-latex at all
- Anti-acid&alkaline, Anti-oil, Anti-infiltration and Anti-bacteria
- Ambidextrous, Non-sterile/Sterile
- Quality exceeds ASTM and FDA standards
- Pinhole Rate: From AQL4.0(Industrial/Food Grade) to AQL2.5 (Examination Grade) to AQL 1.5 (Medical Grade)

Application Field:

Housework, Kitchen, Cleaning, Industry of Food, Electronic, Beauty, Medical, Chemical, Painting etc.

Specification:

Size	Weight (g/pc)	Length (mm)	Palm Width (mm)	Thickness(mm)(Single Layer)	
				Palm	Fingertip
XS	5.5±0.5	240±5	75±2	0.10±0.03	0.11±0.03
S	6.0±0.5	245±5	92±2	0.10±0.03	0.11±0.03
M	6.5±0.5	245±5	104±2	0.10±0.03	0.11±0.03
L	7.0±0.5	245±5	112±2	0.10±0.03	0.11±0.03
XL	7.5±0.5	250±5	115±2	0.10±0.03	0.11±0.03
XXL	8.0±0.5	250±5	120±2	0.10±0.03	0.11±0.03

- Type of Cuff: Rolled Cuff
- Powder: Lightly Powdered/Powderfree
- Color: White, Yellow
- Physical Property:

Elongation: ≥ 400%
Tensile Strength: ≥ 12MPa

Packing:

- 100pcs/printed dispenser box, 10box/export ctn
- 100pcs/printed dispenser box, 20box/export ctn
- 1pair/bag, 500bags/ctn (for cosmetic use)

Container Qty

Packing	Meast.	Qty of 20°C	Qty of 40°C	Qty of 40'HQ
100pcs/box, 10box/ctn	32.5x25.5x27cm	1250000pcs	2500000pcs	2800000pcs
100pcs/box, 20box/ctn	52x25.5x33cm	1500000pcs	2800000pcs	3100000pcs
1pair/bag, 500bags/ctn	40x26.5x17cm	1250000pcs	2500000pcs	2800000pcs

Quality Certificate:

CE (EN455-1,-2,-3:2000); FDA; ISO

Disp. PE/CPE Gloves

Features:

- Material:

PE gloves: LDPE/HDPE
CPE gloves: CPE
- Size: S, M, L, XL
- Ambidextrous
- Embossed or Tabby Surface
- Thickness from 0.011mm-0.025mm (single wall)
- Color: Transparent or others
- Both short and long sleeve are available.

Application Field:

Housework, Kitchen, Cleaning, Industry of Food & Fishery, Beauty, Medical, Chemical, Painting etc.

Packing:

- 100pcs/printed dispenser polybag, 100bags/ctn
- 100pcs/printed dispenser box, 100box/ctn
- 50pcs/hanging card, 200hanging cards/ctn



EVA+Paper Gloves

Features:

- Material: EVA + PAPER
- Soft and high stretch
- Ambidextrous
- Tabby Surface
- Color: Transparent or others
- Sterile/Non-sterile

Application Field:

Beauty or Medical Examination Purpose

Packing:

1pc/pouch, 50pouch/box, 10box/export ctn

Quality Certificate:

CE, ISO



Disp. Latex Examination Gloves

Features:

- Material: High-quality natural latex
- Functional Benefits:
 - Softness provides superior comfort and natural fit
 - Ambidextrous and straight fingers
 - High strength and elasticity
 - Low level of extractable proteins and chemical residue
- Quality Standards: In conformity to ASTM D3578 En455 Standards
- Pinhole Rate: From AQL4.0 (Industrial& Food Grade) to AQL2.5 (Examination Grade) to AQL1.5 (Medical Grade)

Application Field:

Hospital, Lab., Kitchen, Household, Garden, Beauty etc.

Physical Properties:

Elongation at Break (%)		Tensile Strength (Mpa)	
Before Aging	min 650	Before Aging	min 18.0
After Aging	min 500	After Aging	min 14.0

Detailed Specification:

Size	Specification			Thickness(mm)(Single Layer)	
	Length (mm)	Width (mm)	Weight (g/pc)	Palm	Fingertip
XS	245	75±5	5.5	0.12 ±0.02	0.15 ±0.02
S	245	80±5	6.0	0.12 ±0.02	0.15 ±0.02
M	245	95±5	6.5	0.12 ±0.02	0.15 ±0.02
L	245	110±5	7.0	0.12 ±0.02	0.15 ±0.02
XL	245	115±5	7.5	0.12 ±0.02	0.15 ±0.02

Powder: Lightly Powdered/Powderfree
 Color: White, Green, Blue, Red, Yellow etc
 Type of Cuff: Rolled Cuff
 Surface: Micro-Embossed Surface/ Smooth Surface
 Sterile: Sterile/Non-sterile

Packing:

- Non-Sterile: 100pcs/printed dispenser box, 20box/export ctn, ctn meast.: 61x27x32cm 1500000pcs/20°C; 2800000pcs/40°C; 3100000pcs/40'HQ.
- Sterile(EO/Gamma): 1pair/PE polybag or as per customer's request

Quality Certificate: CE, ISO

Disp. Latex Surgical Gloves

Features:

- Material: High-quality natural latex
- Functional Benefits:
 - Fully anatomical design to reduce hand fatigue
 - High strength and elasticity
 - Left and right hands respectively
- Quality Standards:
 - In conformity to ASTM D3577 and EN455
 - Sterilized by Gamma ray irradiation/Non-sterile
 - Hypoallergenic reducing potential allergic reactions
- Pinhole Rate: AQL1.5-0.5
- Powder: Lightly Powdered/Powderfree
- Type of Cuff: Rolled Cuff
- Surface: Micro-Embossed Surface/ Smooth Surface

Physical Properties:

Elongation at Break (%)		Tensile Strength (Mpa)	
Before Aging	min 750	Before Aging	min 24.0
After Aging	min 560	After Aging	min 18.0

Detailed Specification:

Size	Specification			Thickness(mm) (Single Layer)	
	Length (mm)	Width (mm)	Weight (g/pc)	Palm	Fingertip
5.5"	280	71±5	12	0.20±0.02	0.24±0.02
6"	280	77±5	14	0.20±0.02	0.24±0.02
6.5"	280	83±5	16	0.20±0.02	0.24±0.02
7"	280	89±5	18	0.20±0.02	0.24±0.02
7.5"	280	95±5	20	0.20±0.02	0.24±0.02
8"	280	102±5	22	0.20±0.02	0.24±0.02
8.5"	280	108±5	24	0.20±0.02	0.24±0.02
9"	280	114±5	26	0.20±0.02	0.24±0.02

Packing:

- Non-sterile(Bulk): 10pairs/pack, 30packs/ctn; Ctn Meast.: 61x29x15cm
- Non-sterile(Bulk): 50pairs/pack, 20packs/ctn; Ctn Meast.: 61x29x38cm
- Sterile: 1pair/paper pouch, then 1 pouch/peel pack, 50pairs/mid printed box, 10mid printed box/export case; Ctn Measurement: 69x27x42cm

Latex Household Gloves

Features:

- Quality Natural Latex, 100% Cotton Flocklined, Chlorinated
- Durable, Comfortable, Non-slip, Protective
- In conformity to ASTM D4679
- Manufactured in accordance with ISO9001 : 2000 Quality Management System

Application Field:

For all your household use, like housework, kitchen, cleaning, gardening, beauty Shop etc

Specification:

Size	Length	Width	Weight
S(6.5" ~ 7.0")	300mm	95mm	From 40g/pair to 70g/pair (M size), any weight is OK.
M(7.5" ~ 8.0")	300mm	100mm	
L(8.5" ~ 9")	300mm	105mm	
XL(9.5" ~ 10")	300mm	110mm	

- Type of Cuff: Straight/Zigzag/Rolled
- Color: Natural Latex Color, Yellow, Red, Orange, Pink, Green, Blue, Bi-Colors etc.
- Palm Pattern: Honeycomb/Diamond/Gridding
- Physical Properties

Item	Before Asing	After Asing
Tensile Strength	N/cm ≥ 78	N/cm ≥ 59
Elongation at Break Strength	$\geq 500\%$	$\geq 375\%$

- Flockline: Spray Flocklined/Soak Flocklined/Un-Flocklined

Packing:

1pair/polybag, 12pairs/big polybag, 240pairs/export ctn

Quality Certificate: CE, ISO

Flockline



Palm Pattern



Cuff



Latex Industrial Gloves

Features:

- Quality Natural Latex
- Anti-acid&alkaline, Anti-oil, Anti-infiltration and Anti-bacteria
- Durable, Comfortable, Non-slip, Protective
- In conformity to ASTM D4679
- Manufactured in accordance with ISO9001 : 2000 Quality Management System

Application Field:

For Chemical Industry, Fishing Industry, Gardening etc

Specification:

Size	Length	Width	Weight
S	350mm	95mm	From 60g/pair to 120g/pair (M size)
M	350mm	100mm	
L	350mm	105mm	
XL	350mm	110mm	

- Type of Cuff: Straight/ Rolled
- Color : Natural Latex Color, Black, Black Outside + Orange Inside, Bi-colors Outside + Black/Orange Inside or others
- Palm Pattern: Honeycomb/Diamond
- Physical Properties

Item	Before Ageing	After Ageing
Tensile Strength(Mpa)	≥ 10.0	N/cm ≥ 7.5
Elongation at Break Strength	$\geq 500\%$	$\geq 375\%$

- Flockline: Flocklined/Un-Flocklined
- Remark: Long sleeve like 450mm, 500mm, 600mm is also available,

Packing:

1pair/polybag with hanging card, 12pairs/big polybag, 144pairs/export ctn

Quality Certificate: CE, ISO



Disp. Nitrile Gloves

Features:

- Material: High-quality Nitrile, No natural rubber latex protein.
- Functional Benefits
 - Low level of extractable proteins and chemical residue, hence lower incidences of allergic reactions.
 - Protection from unwanted and dangerous substance
 - Easy donning and helps prevent roll back
 - Softness provides superior comfort and natural fit
 - Ambidextrous and straight fingers
 - Superior strength and elasticity with excellent puncture resistant.
 - Safe grip with micro-embossed surface
 - In conformity to ASTM D6319 and EN455 Standards
- Pinhole Rate: From AQL4.0 (Industrial & Food Grade) to AQL2.5 (Examination Grade) to AQL1.5 (Medical Grade)

Application Field:

Hospital, Lab., Kitchen, Household, Garden, Beauty etc.

Physical Properties:

Elongation at Break (%)		Tensile Strength (Mpa)	
Before Aging	≥500	Before Aging	≥14.0
After Aging	≥400	After Aging	≥14.0

- Powder: Powderfree
- Type of Cuff: Rolled Cuff
- Sterile/Non-sterile
- Color: Blue, Green, White
- Sterile: Sterile/Non-sterile



Specification:

Size	Specification			Thickness(mm)(Single Layer)	
	Length (mm)	Width (mm)	Weight (g/pc)	Fingertip	Palm
XS	245	76±3	5.5	0.11±0.03	0.14±0.03
S	245	84±3	6.0	0.11±0.03	0.14±0.03
M	245	94±3	6.5	0.11±0.03	0.14±0.03
L	245	105±3	7.0	0.11±0.03	0.14±0.03
XL	245	113±3	7.5	0.11±0.03	0.14±0.03

Packing:

- Non-Sterile: 100pcs/printed dispenser box, 20box/export ctn, Ctn Meast: 61x27x32cm 1500000pcs/20°C; 2800000pcs/40°C; 3100000pcs/40'HQ.
- Sterile (EO/Gamma): a) 1pair/PE polybag b) 1pair/ paper + pe peel pack c) 1pair/Medical dialysis paper or as per customer's request

Quality Certificate: CE, ISO



Household Nitrile Gloves

Features:

- Material: High-quality Nitrile, No natural rubber latex protein.
- Functional Benefits
 - Low level of extractable proteins and chemical residue, hence lower incidences of allergic reactions
 - Protection from unwanted and dangerous substance
 - Easy donning and helps prevent roll back
 - Softness provides superior comfort and natural fit
 - Superior strength and elasticity with excellent puncture resistant, abrasion resistance
 - Safe grip with micro-embossed surface
 - Conforms to ASTM D4679 and EN420, EN374 and EN388 Standards
- Type of Cuff: Rolled Cuff/Zigzag Cuff/Straight
- Color: Blue, Green

Application Field:

Hospital, Lab., Kitchen, Household, Garden, Beauty etc.



Household Nitrile Gloves

Physical Properties:

Elongation at Break (%)		Tensile Strength (Mpa)	
Before Aging	≥600	Before Aging	≥12.0
After Aging	≥500	After Aging	≥10.0

Specification:

Size	Specification	
	Length (mm)	Width (mm)
S	300	95
M	300	100
L	300	105
XL	300	110

Packing:

1pair/printed polybag, 100pairs/export ctn, ctn Meast: 30×26×35cm

Quality Certificate: CE, ISO



Latex Clean Gloves

Features:

- Patented Products
- Material: Quality natural latex glove + Different Scourer on the palm
- Durable, Comfortable, Non-slip, Protective
- Manufactured in accordance with ISO9001: 2000 Quality Management System

Application Field:

Used as an ideal cleaning tool in kitchen, floor, porcelain and ceramics, glass, products, auto, door and windows etc.

Specifications:

Gloves Colors: Yellow, Orange, Red, Pink etc.

Cuff: Straight Cuff

Kinds:

1. Latex Gloves with Foambacked Scourer
2. Latex Gloves with Viscosebacked Scourer (Green, Black and White)
3. Latex Gloves with Filtrate Scourer
4. Latex Gloves with Fluffbacked Scourer

Packing:

1pc/printed box, 38pcs/pack, 4packs/ctn, ctn meast: 40x34x23cm



Wool Crepe Bandage



Features:

- 100% high quality Australian wool which accounts for 34% of total bandage
- Quality exceeds British Pharmacopoeia Standard (BP Standard)
- High stretch and elasticity
- Superb soft and highly comfortable feeling
- Air permeable

Application Field:

After-care of operation and working injuries, soft tissue fractures and joint swelling etc, especially produced for up-market patients.

Usual Sizes:

Size(cm)	Rolls/Ctn	Metal Clips
5x450/5x400	480	1
7.5x450/7.5x400	360	1
10x450/10x400	240	2
15x450/15x400	180	2

Remark: We can do the range of width: 5cm-110cm and the range of length: 2m-6m at customer's choice.

Material(g/m²): 120g/m², or to order

Crepe/Tabby: Crepe

Color Available : Natural White

Elasticity: ≥200%

Packing: 1roll/cellophane, 12rolls/self-seal polybag

Quality Certificate: ISO9001, ISO9002, CE



100% Cotton Crepe/Tabby Bandage



Features:

- 100% high quality cotton
- Quality exceeds British Pharmacopoeia Standard (BP Standard)
- High stretch and elasticity
- Super soft and highly comfortable feeling
- Air permeable

Application Field:

After-care of operation and working injuries, soft tissue fractures and joint swelling etc.

Usual Specification:

Size (cm)	Rolls/Ctn	Metal Clips	Material (g/m ²)	Crepe/Tabby	Color Available
5x450/5x400	720	1	75, 85 110, 120 140, 160 or to order	Crepe & Tabby	◆ Natural White ◆ Bleached White ◆ Complexion
7.5x450/7.5x400	480	1			
10x450/10x400	360	2			
15x450/15x400	240	2			

Remark:

We can do the range of width: 2.5cm-110cm and the range of length: 2m-6m at customer's choice

Elasticity: ≥150% ~ 270% depends on different gsm and the kind of crepe or tabby.

Packing: 1roll/cellophane, 12rolls/self-seal polybag

Quality Certificate: ISO9001, ISO9002, CE



Elastic Crepe/Tabby Bandage (Spandex)

Features:

- Made of Spandex and cotton threads
- High stretch and elasticity
- Air permeable
- Selvaged, with fixed ends
- Soft and highly comfortable feeling

Application Field:

For treatment, after-care and prevention of recurrence of working and sports injuries, after-care of varicose veins damage and operation as well as for therapy of vein insufficiency

Usual Specification:

Size (cm)	Rolls/Ctn	Metal Clips	Material (g/m ²)	Crepe/Tabby	Color Available
5x450/5x400	480	1	80 82 or to order	Crepe & Tabby	◆ Natural White ◆ Bleached White ◆ Complexion
7.5x450/7.5x400	360	1			
10x450/10x400	240	2			
15x450/15x400	180	2			

Remark: We can do the range of width: 2.5cm-15cm and the range of any length at customer's choice

Elasticity: ≥180% ~ 200% depends on different gsm and the kind of crepe or tabby

Packing: 1roll/cellophane, 12rolls/self-seal polybag

Quality Certificate Available: ISO9001, ISO9002, CE



P.B.T Elastic Conforming Bandage (Crepe/Tabby)

Features:

- High stretch and elasticity
- Soft and highly comfortable feeling
- Air permeable

Application Field:

suitable for the use of binding all parts of the body, outdoors practice, first-aid swaddle and soft tissue damage.

Usual Specification:

Size (cm)	Rolls/Ctn	Metal Clips	Material (g/m ²)	Crepe/Tabby	Color Available
5x450/5x400	1440	1	65 32 or to order	Crepe & Tabby	◆ Natural White ◆ Bleached White ◆ Complexion
7.5x450/7.5x400	720	1			
10x450/10x400	720	2			
15x450/15x400	360	2			

Remark: We can do the range of width: 2.5cm-15cm and the range of any length at customer's choice

Elasticity: ≥170% ~ 180% depends on different gsm and the kind of crepe or tabby

Packing: 1roll/cellophane, 12rolls/self-seal polybag

Quality Certificate: ISO9001, ISO9002, CE



High Elastic Bandage (Crepe/Tabby)

Features:

- With polyurethane threads
- High stretch and elasticity
- Air permeable
- With selvages and fixed ends
- Soft and highly comfortable feeling

Application Field:

For treatment, after-care and prevention of recurrence of working and sports injuries, after-care of varicose veins damage and operation as well as for therapy of vein insufficiency

Usual Specification:

Size (cm)	Rolls/Ctn	Metal Clips	Material (g/m ²)	Crepe/Tabby	Color Available
5x450/5x400	480	1	100 or to order	Crepe & Tabby	◆ Natural White ◆ Bleached White ◆ Complexion
7.5x450/7.5x400	240	1			
10x450/10x400	240	2			
15x450/15x400	120	2			

Remark: We can do the range of width: 2.5cm-15cm and the range of any length at customer's choice

Elasticity: ≥300%

Packing: 1roll/cellophane, 12rolls/self-seal polybag

Quality Certificate: ISO9001, ISO9002, CE



Plaster of Paris Bandage (P.O.P)

Features:

- Suitable for instant use and for treatment after surgery
- Smooth and fluid plaster covers gauze completely
- Rapid fastening time (3-5 minutes)
- Water permeable
- Reliable casting
- Strong fastening abilities

Application Field:

- Fixation of all kinds of bone fractures
- Fixation of surgical operation
- Orthopaedic plastic
- Fixation of first-aid

Usual Sizes:

Size(cm)	Rolls/Ctn	Size(cm)	Rolls/Ctn	Size(cm)	Rolls/Case
5x270	240	5x300	240	5x460	144
7.5x270	240	7.5x300	240	7.5x460	144
10x270	120	10x300	120	10x460	72
12.5x270	120	12.5x300	120	12.5x460	72
15x270	120	15x300	120	15x460	72
20x270	60	20x300	60	20x460	36

Remark: We can do the range of width: 2.5cm-15cm and the range of any length at customer's choice
Material(g/m²): 360

Packing: 1 roll/cellophane, 12 rolls/self-seal polybag
Quality Certificate: ISO9001, ISO9002, CE



Orthopedic Bandage Padding

Features:

- 100% absorbent cotton or synthetic non-woven fabrics.
- Soft and highly comfortable feeling
- Air permeable.

Application Field:

Used as all types of casting materials, providing effective, comfortable and safe casting

Usual Specification:

Size (cm)	Rolls/Ctn	Size(cm)	Rolls/Ctn	Material (g/m ²)
5x270	720	5x300	720	94 100 110 or to order
7.5x270	480	7.5x300	480	
10x270	360	10x300	360	
15x270	240	15x300	240	
20x270	180	20x300	180	

Remark: We can do other specifications according to customer's request.

Packing: 1 roll/PE pack, 12 packs/self-seal PE bag
Quality Certificate: ISO9001, ISO9002, CE

Elastic Self-Adhesive Bandage

Features:

- No adhesive glue, it is non-adherent
- Light and thin, good at ventilation, convenient
- Protecting wrists, elbows, ankles and knees, preventing sprain and strain
- Superb elasticity, self-adherent, no need of fixing
- Torn or cut at any length at your requirement
- Excellent fixing function, particularly suitable for sport players and orthopedic patients
- Recycling use
- Multiple colors to meet your different preference

Use Sizes:

Size (cm)	Rolls/Ctn	Size (cm)	Rolls/Ctn	Color Available
5x450/5x400	1440	10x450/10x400	720	White, Yellow, Green, Blue etc.
7.5x450/7.5x400	720	15x450/15x400	360	

Remark: We can do other specifications according to customer's request.

Packing: 1 roll/PE pack, 12 packs/self-seal PE bag
Quality Certificate: ISO9001, ISO9002, CE

Gauze Bandage (Stitched/Open Edges)

Features:

- 100% absorbent cotton, Non-Elastic
- Air permeable
- Soft and highly comfortable feeling
- Both stitched and open edges are available

Application Field:

To be used as a compression bandage and for fixation of wet gauzes

Usual Specification:

Size (cm)	Rolls/Ctn	Material	Edge Available	Color Available
5x450/5x500	1440	◆ 24x20 mesh, 40's/40's ◆ 24x20 mesh, 32's/32's ◆ 30x20 mesh, 40's/40's ◆ or to order	◆ Stitched ◆ Open	◆ Natural White ◆ Bleached White
7.5x450/7.5x500	1080			
10x450/10x500	720			
15x450/15x500	540			

Remark: We can do the range of width: 2.5cm-15cm and the range of any length at customer's choice

Packing: 1 roll/cellophane, 12 rolls/self-seal polybag
Quality Certificate Available: ISO9001, ISO9002, CE



Tubular Bandage

Features:

- High quality, tubular, seamless bandage made of nylon-covered rubber yarn
- Holding dressing securely in place without using adhesive tape
- Conforms easily to virtually all body contours, allowing unrestricted movement
- Air permeable & easily cut
- For wounded finger, toe, limb etc.

Usual Size:

1.25x200	6x200	2.5x200	6.5x200	4x200	7.5x200	5x200	10x200
----------	-------	---------	---------	-------	---------	-------	--------

Packing: 1 roll/box

Quality Certificate Available: ISO9001, ISO9002, CE



Triangular Bandage

Features:

- 100% cotton
- Soft and highly comfortable feeling
- Air permeable

Material: Yarn: 40's/40's; Mesh: 40x40, 50x38, 60x58, 46x34, 50x46, 62x48 or to order

Usual Sizes: 36"x36"x51", 40"x40"x56", 44"x44"x61" or to order

Packing: 1 pc/pack, 12 pcs/pack, 20 pcs/tn

Quality Certificate: ISO9001, ISO9002, CE

Orthopedic Casting Bandage

Features:

- Main material: Polyester fabric
- High intensity, lightweight, good X-ray transmission, waterproof
- Air permeable

Application Field:

- Fixation of all kinds of bone fractures
- Orthopaedic plastic
- Fixation of surgical operation

Usual Sizes:

Size (cm)	Rolls/Ctn	Size (cm)	Rolls/Ctn	Color Available
5x360	60	7.5x360	60	White, Yellow, Green, Blue etc.
10x360	60	12.5x360	60	
15x360	60			

Remark: We can do other specifications according to customer's request

Packing: 1 roll/ pack, 12 packs/polybag
Quality Certificate: ISO9001, ISO9002, CE

Adhesive Wound Strip

Features:

- Non-toxic, Hypo-allergic
- Structure:
 - Adhesive part: For fixing the wound area
 - Water absorption mat: For cushion and comfort, soft, air permeable with strong Absorption and suitability
 - Non-adherent pad (PE film): For quick wound healing
 - Ventilated dots: For faster natural healing



Application Field:

Suitable for protection of all kinds of flesh wound, such as from burn, cut, and stab. It is also suitable for protection of fingers or other parts in some industrial fields

Usual Specification


Size(cm)	Size(cm)	Material Available	Shapes Available
500x4	7.6x3.8	<ul style="list-style-type: none"> ◆ PVC (water-proof) ◆ High-elastic Fabric ◆ Cotton Fabric ◆ PVC with cartoon printing ◆ Spunlaced Non-woven Fabric 	<ul style="list-style-type: none"> ◆ Rectangle ◆ Square ◆ Square ◆ Round ◆ H-shape ◆ Heart ◆ Abnormity
500x6	7.6x2.5		
500x8	7.6x1.9		
100x4	7.2x1.9		
100x6	6.5x4		
100x8	6.5x1.9		
10x4	3.8x3.8		
10x6	4.0x1.0		
10x8	Φ = 7/8"		

(We can do other specifications according to customer's request.)

Packing: 1pc/sterile pack(sterilized by EO), or to order

Quality Certificate: ISO9001, ISO9002, CE, FDA

Remarks: Our products can be latex-free, which will be thoroughly non-allergic to skin!



Low Anaphylactic Medical Adhesive Tape

Features:

- Reliable adhesive ability, Non-toxic, Hypo-allergic, Air permeable
- Easy to be torn by hand, whether in longitude or latitude direction

Application Field:

It is suitable for fixing dressing and medical tubes. Particularly it acts as a fixing material such as for gauze, bandage after a surgery operation

Usual Specification:

Size	Material	Package for each
1.25cmx5y	<ul style="list-style-type: none"> ◆ Micro-porous PE Tape ◆ Silk Tape (Straight or Zigzag Edge) 	<ul style="list-style-type: none"> ◆ Plastic/Paper Coil ◆ Plastic Dispenser Cutter ◆ Plastic/Tinplate/Paper Can ◆ Or to order
2.5cmx5y		
5cmx5y		
1.25cmx10y	<ul style="list-style-type: none"> ◆ Micro-porous Non-woven Tape ◆ Cotton Fabric Tape 	
2.5cmx10y		
7.5cmx10y		
10cmx10y		

(We can do other specifications according to customer's request.)

Quality Certificate: ISO9001, ISO9002, CE, FDA

Remarks: Our products can be latex-free, which will be thoroughly non-allergic to skin!



Micro-porous PE Tape



Silk Tape



Non-woven Tape



Adhesive Wound Dressing

Features:

- Non-toxic, Hypo-allergic
- Structure:
 - Spunlaced PP Adhesive part, For fixing the wound area
 - Thick block water absorption mat (Non-adherent): For cushion and comfort, soft, air permeable with strong Absorption and suitability
 - Non-adherent pad (PE film): For quick wound healing
- Multiple shapes are available: Rectangle with straight/round angle, Square with straight/round angle etc

Application Field:

Suitable for protection of all kinds of open wound and serious wound, such as from burn, cut, stab, fissure etc.

Usual Sizes(cm): 6x3, 7x3.5, 7x4, 10x10, 15x10, 20x10, 25x10, 12x12, 25x12

(We can do other specifications according to customer's request.)

Packing: 1pc/sterile pack(sterilized by EO), or to order

Quality Certificate: ISO9001, ISO9002, CE, FDA

Remarks: Our products can be latex-free, which will be thoroughly non-allergic to skin!

Zinc Oxide Adhesive Plaster

Features:

- Reliable adhesive ability, Non-toxic, Hypo-allergic, Air permeable
- Coated with natural rubber and zincas adhesive material
- Easy to betorn by hand, whether in longitndeor latitude direction

Application Field:

It is suitable for fixing dressingand medical tubes. Particularly it actsas a fixingmaterial such as gauze, bandage after a surgery operation. It is also usedas sport protection, labor protection and industrial packaging etc..

Usual Specification:

Size	Material	Package for each
1.25cmx1m	◆Silk (Straight or Zigzag Edge) ◆Cotton Cloth (Water-proof or Water permeable) (Straight or Zigzag Edge)	◆Plastic/Paper Coil ◆Plastic Dispenser Cutter ◆Plastic/Tinplate/Paper Can ◆Or to order
2.5cmx1m		
1.25cmx5m		
2.5cmx5m		
5cmx5m		
7.5cmx5m		
10cmx5m		
12"x10y		
1.25cmx10m		

(We can do other specifications according to customer's request.)

Quality Certificate: ISO9001, ISO9002, CE, FDA

Remarks: Our products can be latex-free, which will be thoroughly non-allergic to skin!



Drilled Plaster

Features:

- Reliable adhesive ability, Non toxic, Hypo-allergic, Air permeable
- The curing plaster adapts the formulation of Chinese Pharmacopoeia and unique technology, which gives obvious cure effect
- Easy to betorn by hand, whether in longitndeor latitude direction

Application Field:

It is used for rheumatoid arthritis, joint strain or other ache caused by cold -dampness.

- For those who have trauma and skin allergic, PLEASE DO NOT USE.
- For pregnant women, PLEASE DO NOT USE.

Size (cm)	Size
4x6	5cmx5m
7x10	10cmx5m
11x17	12cmx5m
12x18	18cmx5m
2.5x5	

(We can do other specifications according to customer's request.)

Packing: 1pc/sterile pack (sterilized by EO).or to order

Quality Certificate: ISO9001, ISO9002, CE, FDA

Remarks: Our products can be latex-free, which will be thoroughly non-allergic to skin!



Antimicrobial Surgery Drape (PU Drape)

Features:

- Fresh new product in surgery
- Ultra thin, Soft, High Elasticity, Air permeable, 100% Water-proof
- Easy to bestuck to skin and comfortable feeling. No shedding, no sliding during a surgery
- Effectively isolate the un-wounded area from wounded area, stop infecting from a wound body area during a surgery
- After use, easy to be torn off very cleanly
- Sterilized by EO

Application Field:

Surgery Operation

Usual Sizes:

45x60cm, 45x45cm, 30x45cm, 20x30cm, 11x7cm or to order

Remark: We can do other specifications according to customer's request

Packing: 1pc/sterile pack. Or to order

- With fluid collection pouch for particular procedure like ophthalmic surgery use, brain surgery use etc.

Quality Certificate: ISO9001, CE



Antimicrobial Surgery Drape (Iodine Drape)

Features:

- Fresh new product in surgery.
- Coated with iodine which can kill bacteria or virus in the un-wounded body area
- Ultra thin, Soft, High Elasticity, Air permeable, 100% Water-proof
- Easy to bestuck to skin and comfortable feeling. No Shedding, no sliding during a surgery
- Effectively isolate the un-wounded area from wounded area, stop infecting from a wound body area during a surgery
- After use, easy to be torn off very cleanly
- Sterilized by EO

Application Field

Surgery Operation, especially for surgery with high-risk of being infected s

Usual Sizes: 45x60cm, 45x45cm, 30x45cm, 20x30cm, 11x7cm or to order

Packing: 1pc/sterile pack. Or to order

- With fluid collection pouch for particular procedure like ophthalmic surgery use, brain surgery use etc

Quality Certificate: ISO9001, CE



PU Strip (With/Without Non-adherent Mat)

Features:

- Waterproof-- it makes patient's shower, bathe or swim is possible
- Breathable----Air permeable, to create stable temperature and moisture. Help patient's healing
- Sterile barrier---prevent bacteria and virus
- Transparent----Watch patient's wound or IV sets in real-time
- Ultra thin, Soft, High Elasticity which makes patient to feel at free
- Easy to bestuck to skin and comfortable feeling. No Shedding, no sliding
- After use, easy to be torn off very cleanly
- Sterilized by EO

Application Field

Patient's after-care, Hospital's transfusion, Family use etc.

Usual Sizes: 4x5cm, 6x7cm, 10x12cm, 20x30cm, 10x25cm 11x7cm, 10x20cm or to order

Packing: 1pc/sterile pack. or to order

Quality Certificate: ISO9001, CE



Gauze Items



Surgical Operation Room Towel



Lap. Sponge



Gauze Swab



Non-woven Sponges



Cutting Gauze



Gauze Ball



Non-woven Balls



Tracheotomy Sponge



Absorbent Gauze Roll



Gauze Face Mask



Cheese Cloth

Gauze Specification:

Quality: BP, USP Standard
Material: 100% Absorbent Cotton,
Sizes: 2.5x2.5cm, 5x5cm, 7.5x7.5cm, 10x10cm,
15x15cm, 20x20cm, 30x30cm, 40x40cm,
or to order
Ply: 2ply, 4ply, 8ply, 16ply etc.
Color: Bleached White, Green
Edges: Folded edges/Un-folded edges
Wash: Pre-washed/Non-prewashed
X-ray: X-ray detectable/Non X-ray detectable
Sterile: Sterile/Non sterile



Absorbent Cotton Roll

Material: 100% absorbent high quality cotton
Quality Standard: BP or USP
Usual Specification:
25g/roll, 50g/roll, 100g/roll, 200g/roll, 250g/roll,
400g/roll 500g/roll, 1000g/roll
Packing: 1 roll is packed in two layers GP paper.
Or 1 roll is packed in 1-layer GP paper then
in a PE bag.

Absorbent Cotton Ball

Material: 100% absorbent high quality cotton
Quality Standard: BP or USP
Usual Specification:
0.2g/ball, 0.3g/ball, 0.5g/ball, 0.7g/ball,
0.8g/ball, 1g/ball, 1.2g/ball
Color: White, Red, Green, Blue, Yellow etc.
Packing: 70g, 100g or 250g/polybag

Absorbent Cotton Chip

Material: 100% absorbent high quality cotton
Quality Standard: BP or USP
Usual Specification: 50kgs/PE bag or 45.4kgs/
PE bag

Absorbent Cotton Dental Roll

Material: 100% absorbent high quality cotton
Quality Standard: BP or USP
Usual Specification: Diameter=8mm/10mm
/12mm/14mm
Length: 38mm/40mm
Color: White, Yellow, Pink, Blue, Green etc.
Packing: 56/41/30/23pcs per bundle,
10 or 40bags per carton

Absorbent Cosmetic Cotton Pad

Assorted colors are available
Material: 100% absorbent high quality cotton

Absorbent Cotton Bud

Stick Material: Wood or Plastic
Sterile/Non-Sterile packing
Material: 100% absorbent high quality cotton

Absorbent Cotton Thread

Material: 100% absorbent high quality cotton
Usual Specification:
1.4g/m, 2.5g/m, 3.5g/m, 4.5g/m, 5.0 g/m,
8.0 g/m, 10g/m

Absorbent Cotton Chop

Material: 100% absorbent high quality cotton

Cotton Products



Other Medical Dressing



Disposable Combined Absorbent Dressing Pad
 Material: 1) PP Cover+ Wooden Fluff Inside
 2) PET Cover+ Wooden Fluff Inside
 Sizes: 5"X9", 8"X7.5", 8"X10", 10x10cm, 10x20cm,
 20x20cm,20x30cm,20x40cm,10x15cm,10x30cm
 Sterile/ Non-sterile
 Sterilized by EO or Gammar Radiation.
Quality Certificate: ISO9001, CE



Anti-Decubits Pad
Quatily Certificate: ISO9001,CE



DRESSING PACK
 Remark: We can do any composing according to your request
 Sterilized by EO or Gammar Radiation.
Quatily Certificate: ISO9001,CE



Disposable OVAL EYEPAD
 Stitched Edges
 Size: 5.5x7.5cm
 Sterilized by EO or Gammar Radiation.
Quatily Certificate: ISO9001,CE



Alcohol Swab
 Material: Non-woven fabric + 70% Isopropy Alcohol
Usual Sizes:

No.	Non-woven Size	Pouch Size	Remark
1	65x30mm	50x50mm	2ply
2	87x45mm	62.5x76mm	2ply
3	65x56mm	50x50mm	2ply
4	110x90mm	62.5x76mm	2ply
5	65x30mm	50x50mm	2ply

Remark: We can do other size and different ply according to customer's request

Packing: 1pc/ aluminum foil pouch, 100pcs/box or 200pcs/box

Quatily Certificate: ISO9001,CE



Povidone-Iodine Swab
 Material: Non-woven fabric + 10% Povidone Iodine (1% pure Iodine)
Usual Sizes:

No.	Non-woven Size	Pouch Size	Remark
1	65x30mm	50x55mm	2ply

Remark: We can do other size and different ply according to customer's request

Packing: 1pc/ aluminum foil pouch, 100pcs/box or 200pcs/box

Quatily Certificate: ISO9001,CE



Antiseptic Swab
 Material: Non-woven fabric + 1:250 Benzalko
Usual Sizes:

No.	Non-woven Size	Pouch Size	Remark
1	65x56mm	50x50mm	2ply

Remark: We can do other size and different ply according to customer's request

Packing: 1pc/ aluminum foil pouch, 100pcs/box or 200pcs/box

Quatily Certificate: ISO9001,CE



Alcohol Swabstick
 Material: Swabstick + 70% Isopropyl Alcohol
Usual Sizes:

No.	Swabstick Size	No.	Swabstick Size
1	3 inch	2	4 inch

Remark: We can do other size and different ply according to customer's request

Packing: 1pc/ aluminum foil pouch, 50pcs/box

Quatily Certificate: ISO9001,CE



Povidone-Iodine Swabstick
 Material: Swabstick + 10% Povidone Iodine (1% pure Iodine)
Usual Sizes:


No.	Swabstick Size	No.	Swabstick Size
1	3 inch	2	4 inch

Remark: We can do other size and different ply according to customer's request

Packing: 1pc/ aluminum foil pouch, 50pcs/box

Quatily Certificate: ISO9001,CE

Sterilization Package Material



A) Self-sealing Sterilization Pouch for EO & Steam

(With/without indication markprinting)

Material: Film + Medical Paper

Pouch Shapes: Flat Pouch

Applied Sterilization: EO & Steam

Features:

- 1. Triple seal**
Prevent possible Penetration or tearing by sharp instruments.
- 2. Triple Heat Processed**
Produces a seal that is consistent, strong and minimizes any shattering or tearing.
- 3. Secure Seal**
Additional seal at chevron for added protection against instrument breaching.
- 4. Medical Grade Paper**
- 5. Blue Transparent Film**
Allows viewing of the contents while providing easy identification of any compromise in the film caused by puncturing or tearing.
- 6. Wide Self-Seal Adhesive Strip**
Securely seals pouch and provides sterilization integrity of contents during storage (minimum of two years when properly sealed and processed).
- 7. Fold**
Allows for accurate folding of adhesive strip to form an airtight seal
- 8. Complete Film/Paper Separation**
- 9. Thumb Notch**
Assures easy opening of pouch.
- 10. Corner Tack Seals**
Prevent curling and possible separation after sterilization. In addition it prevents the collection of dust and other contaminants in the seal area.
- 11. Process Indicator Arrows**
Each pouch has easy to read color changing process before and after sterilization

Applied Sterilization: EO & Steam

Film Colors Available: Blue Transparent, Green Transparent, White Transparent or to order.

Usual Sizes:

Code	Size	Packing
ST057130	2.25"x5" (57x130mm)	200pcs/printed box
ST070260	2.75"x9" (70x260mm)	200pcs/printed box
ST090260	3.50"x9" (90x260mm)	200pcs/printed box
ST135260	5.25"x10" (135x260mm)	200pcs/printed box
ST135280	5.25"x11" (135x280mm)	200pcs/printed box
ST135300	5.25"x12" (135x300mm)	200pcs/printed box
ST135380	5.25"x15" (135x380mm)	200pcs/printed box
ST155260	6"x9" (155x260mm)	200pcs/printed box
ST190360	7.5"x13" (190x360mm)	200pcs/printed box
ST305430	12"x 17" (305x430mm)	200pcs/printed box

Remark:

- Length: 130mm-800mm Width: 57mm-800mm
- We can do other sizes according to customer's request!

Quality Certificate: ISO9001:2000, CE



B) Sterilization Pouch for EO & Steam

(With/without indication markprinting)

Material: 1) Film + Medical Paper 2) Medical Paper + Medical Paper

Pouch Shapes: 1) Flat Pouch 2) Three-dimensional Pouch

Applied Sterilization: EO & Steam

Usual Size: 1) Flat Pouch: Length: 50mm-6000mm

Width: 30mm-800mm

2) Three-dimensional Pouch: Length: 50mm-6000mm

Width: 100mm-800mm

Film Colors Available:

Blue Transparent, Green Transparent, White Transparent or to order.

Quality Certificat: ISO9001:2000, CE



C) Sterilization Roll for EO & Steam

(With/without indication mark printing)
Material: Film + Medical Paper
Pouch Shape: 1) Flat Pouch 2) Three-dimensional Pouch
Applied Sterilization: EO & Steam
Usual Sizes:

Code	Size	Code	Size
ST050200	50mmx200m	ST200200	200mmx200m
ST055200	55mmx200m	ST250200	250mmx200m
ST075200	75mmx200m	ST300200	300mmx200m
ST100200	100mmx200m	ST350200	350mmx200m
ST150200	150mmx200m	ST400200	400mmx200m

Remark: We can do other sizes:
 1) Flat Pouch: Length: 30m, 50m, 100m, 200m, 600m
 Width: 50mm-800mm
 2) Three-dimensional Pouch: Length: 30m, 50m, 100m
 Width: 100mm-800mm

Film Colors Available:
 Blue Transparent, Green Transparent, White Transparent or to order.
Quality Certificate: ISO9001:2000, CE



Medical PE Coated Paper


Type (From Outside to Inside):

- PE + Paper/Non-woven Fabric
- PE + Paper + PE/Non-woven Fabric
- Paper + PE + Paper/Non-woven Fabric

GSM of Material: PE Layer: 16 ~ 20g/m²
 Paper Layer: 20 ~ 58g/m²

Size: Width of Paper: 90cm Maximum
 Length of Paper: 100m Maximum
 Any size is possible in above range!
 And the paper can be printed according to customer's request

Color Available: White, Yellow, Blue, Green etc. or to order
Packing: 2 ~ 4 folds/pc, 100pcs/polybag, 50polybags/ctn or in big roll



D) Sterilization Label (with indication mark printing)

Material: Color-change paper with adhesive substance
Pouch Shape: Round, Diameter = 8mm or to order
Applied Sterilization: EO (mainly used in master export carton)
Certificate: ISO9001:2000, CE



Sterilization Roll for Autoclave

Material: Color-change paper with adhesive substance
Applied Sterilization: Autoclave
Usual Size: Length: 30m ~ 50m
 Width: 10mm-30mm
Certificate: ISO9001:2000, CE



Features:

- Effectively prevent possible cross-infection when a clinical thermometer is used between different people.
- Avoid the mercury break to do harm to patient
- Accurate: It does not affect the real body temperature while being used.
- Easy to be carried, hygienic, safety.
- Widely used in hospital, family and outdoors

Specification: 1) For Oral & Rectal
 2) For Armpit
 3) For Digital thermometer

Packing: 1pc/individual pack, 10pcs/mid-bag, 100pcs/box or 200pcs/box

Sticky Clean Mat

Features:

- Material: Polyethylene Film with adhesive, advanced chemical formulation
- Spec.: 26 x 45/18 x 45/24 x 36/18 x 36"
- Colors: White, Blue, Green, Grey, Clear

Function:

- Unique, cost-effective solution to capturing unwanted dirt and contamination before entering into clean room.
- Ability of dust removal: 99.9% in five steps (weight of 100kgs)
- When the exposed layer is completely used, simply peel it off to expose a clean layer.

Application Field:


- Semiconductor manufacturing
- Electronic and electronics industry
- Hospital
- Operating room
- Pharmaceutical and biological manufacturing
- Medical industry
- Clean room

Packing:

30layers/pad, 10pads/box, 5boxes/ctn



INSTRUCTIONS FOR USE:



AFTER USE